

MATH 582 Homework 6

Carefully Read and Follow Directions Clearly label your work and attach it to this sheet. No credit will be given for unsubstantiated answers.

1. Let V be an inner product space with inner product denoted by (\cdot, \cdot) . Verify that the function defined below satisfies all the properties of a norm.

$$\|u\| = \sqrt{(u, u)} \quad \forall u \in V$$

2. Consider the boundary value problem

$$\begin{aligned} -u''(x) &= f(x), & x &\in (0, 1), \\ u'(0) &= 0, & u(1) &= 0, \end{aligned}$$

- (a) Give the variational formulation of the equation. Be sure to identify the function space that you are using.
 - (b) Consider the discretized form of the variational problem. Assume that one uses a non-uniform grid with the partition $0 = x_0 < x_1 < \dots < x_N < x_{N+1} = 1$ for the interval $[0, 1]$, and denote the width of each interval by $h_i = x_i - x_{i-1}$ for $i = 1, 2, \dots, N$. In terms of a general finite dimensional basis $\{\phi_i\}$, give the form of the stiffness matrix, K for solving the discrete problem.
 - (c) Using the piecewise linear basis functions (the “hat functions” that we have described in class), show that the stiffness matrix, K has a tridiagonal structure. Explicitly calculate the values that form the matrices. Note: you have already done most of the work for the stiffness matrix, with the exception of a couple of rows, so you may quote those results from previous homeworks.
 - (d) Write a Matlab script which implements this problem for an arbitrary right-hand side function $f(x)$. To test your code, generate a test problem using $u(x) = \cos(2\pi x) - 1$. Compute the error (just use the discrete 2-norm), and construct a table to show that the absolute error $\rightarrow 0$ as $h \rightarrow 0$. Also generate a plot of the true soln and the computed approximation.
3. Consider the following boundary value problem where the constants $a > 0, b \geq 0$

$$\begin{aligned} -au''(x) + bu(x) &= f(x), & x &\in (0, 1), \\ u'(0) &= 0, & u'(1) &= 0, \end{aligned}$$

- (a) Give the variational formulation of the equation. Be sure to identify the function space that you are using.

- (b) Consider the discretized form of the variational problem. Assume that one uses a non-uniform grid with the partition $0 = x_0 < x_1 < \dots < x_N < x_{N+1} = 1$ for the interval $[0, 1]$, and denote the width of each interval by $h_i = x_i - x_{i-1}$ for $i = 1, 2, \dots, N$. In terms of a general finite dimensional basis $\{\phi_i\}$, give the form of the stiffness matrix, K , and the mass matrix, M , for solving the discrete problem.
- (c) Using the piecewise linear basis functions (the “hat functions” that we have described in class), show that the stiffness matrix, K , and the mass matrix, M , have a tridiagonal structure. Explicitly calculate the values that form the matrices.
- (d) Write a Matlab script which implements this problem for an arbitrary right-hand side function $f(x)$. To test your code, generate a test problem using $a = 1, b = 1$ and $u(x) = \cos(\pi x)$. Compute the error (just use the discrete 2-norm), and construct a table to show that the absolute error $\rightarrow 0$ as $h \rightarrow 0$. Also generate a plot of the true soln and the computed approximation.